



HELIX Alpinist

Designed for accurate and long-range shots: the Helix Alpinist doesn't just cut a fine figure in mountain hunting. The optional bipod (adapter as standard) acts as a stable rest in all terrains. And because it is the stock: the smooth adjustable cheek piece allows for a quick, safe and always reproducible shooting position - a functional treat for the accurate shot and the fast driven hunt.

TECHNICAL DATA



SYSTEM Straight-pull bolt-action rifle with a 1:2 transmission / closed system housing / real take-down / Barrel change option / 6 locking slugs turning head lock / Manual cocking lever / 3-round magazine (+1)

CALIBRE **Mini calibre:** .222 Rem. / .223 Rem. / **Standard calibre:** .243 Win. / .270 Win. / 6,5x55SE / 7x64 / .308 Win. / .30-06 Spring. / 8x57IS / 9,3x62 / **Magnum calibre:** .300 Win. Mag. / .338 Win. Mag. / 7mm Rem. Mag.

TRIGGER Direct trigger adjustable from approx. 900 to 1.900 gramms / **Optional:** TAR-GT trigger smoothly adjustable from approx. 500 to 1500 gramms / gold plated trigger

WEIGHT approx. 3 kg (at 56cm barrel length)

LENGTH Overall length 107 cm (at 56 cm barrel length)

BARREL Standard barrel (Ø 17 mm) / i-Sight system /
Optional: Semi-weight barrel (Ø 19 mm) / Fluted barrel

		BARREL DIAMETER 17 mm					
BARREL LENGTH ▶		510 mm		560 mm		610 mm	
DETACHABLE SIGHTS ▶		with		with		with	
MUZZLE THREAD M15x1 ▶		with		with		with	
GEOMETRY ▶		round	fluted	round	fluted	round	fluted
MINI	.222 Rem.			●	○		
	.223 Rem.			●	○		
STANDARD	.243 Win.			●	○		
	.270 Win.			●	○		
	7x64			●	○		
	.308 Win.	○	○	●	○		
	.30-06 Spring.	○	○	●	○		
	8x57IS	○	○	●	○		
	9,3x62	○	○	●	○		
MAGNUM	7 mm Rem.Mag.					●	○
	.300 Win.Mag.					●	○

● standard ○ optional

		BARREL DIAMETER 19 mm						
BARREL LENGTH ▶		470 mm	510 mm		560 mm		610 mm	
DETACHABLE SIGHTS ▶		with	with		with		with	
MUZZLE THREAD M15x1 ▶		with	with		with		with	
GEOMETRY ▶		round	round	fluted	round	fluted	round	fluted
MINI	.222 Rem.				○	○		
	.223 Rem.				○	○		
STANDARD	.243 Win.	▲ ○			○	○		
	.270 Win.	▲ ○			○	○		
	7x64	▲ ○			○	○		
	.308 Win.	▲ ○	○	○	○	○		
	.30-06 Spring.	▲ ○	○	○	○	○		
	8x57IS	▲ ○	○	○	○	○		
	9,3x62	▲ ○	○	○	○	○		
MAGNUM	7 mm Rem.Mag.						○	○
	.300 Win.Mag.						○	○
	.338 Win.Mag.						●	○

● standard ○ optional ▲ standard for the Helix Tracker and Helix Suppressor

STOCK Synthetic stock / hight adjustable cheek piece / Rubber butt plate / adapter for bipod /
Synthetic-colours: anthracite / black (soft-touch coating) / green (soft-touch coating)

ENGRAVINGS none / black system casing

MOUNTS integrated Picatinny profile as mounting basis /
Optional: Mounting basis Weaver rail / Kiliic mounts

OPTIONS 5-round magazine (+1) / Muzzle break / Merkel Suppressor / Stock key / Harris bipod
