

Products Bolt Action Rifles Guns HELIX Black



## **HELIX Black**

The black model in the HELIX range is completely fitted out, and comes with an black aluminium action.

With wooden stock and driven hunt sights. Available in wood-classes 2 to 10.

## **TECHNICAL DATA**

















SYSTEM

Straight-pull bolt-action rifle with a 1:2 transmission / closed system housing / real take-down / Barrel change option / 6 locking slugs turning head lock / Manual cocking lever / 3-round magazine (+1)

CALIBRE

Mini calibre: .222 Rem. / .223 Rem. /

**Standard calibre:** .243 Win. / .270 Win. / 6,5x55SE / 7x64 / .308 Win. / .30-06 Spring. / 8x57IS / 9,3x62 /

Magnum calibre: .300 Win. Mag. / .338 Win. Mag. / 7mm Rem. Mag.

TRIGGER

 $\hbox{Direct trigger adjustable from approx. 900 to 1.900 gramms / \textbf{Optional:} TAR-GT trigger smoothly adjustable from approx. 900 to 1.900 gramms / \textbf{Optional:} TAR-GT trigger smoothly adjustable from approx. 900 to 1.900 gramms / \textbf{Optional:} TAR-GT trigger smoothly adjustable from approx. 900 to 1.900 gramms / \textbf{Optional:} TAR-GT trigger smoothly adjustable from approx. 900 to 1.900 gramms / \textbf{Optional:} TAR-GT trigger smoothly adjustable from approx. 900 to 1.900 gramms / \textbf{Optional:} TAR-GT trigger smoothly adjustable from approx. 900 to 1.900 gramms / \textbf{Optional:} TAR-GT trigger smoothly adjustable from approx. 900 to 1.900 gramms / \textbf{Optional:} TAR-GT trigger smoothly adjustable from approx. 900 to 1.900 gramms / \textbf{Optional:} TAR-GT trigger smoothly adjustable from approx. 900 to 1.900 gramms / \textbf{Optional:} TAR-GT trigger smoothly adjustable from approx. 900 to 1.900 gramms / \textbf{Optional:} TAR-GT trigger smoothly adjustable from approx. 900 to 1.900 gramms / \textbf{Optional:} TAR-GT trigger smoothly adjustable from approx. 900 to 1.900 gramms / \textbf{Optional:} TAR-GT trigger smoothly adjustable from approx. 900 to 1.900 gramms / \textbf{Optional:} TAR-GT trigger smoothly adjustable from approx. 900 to 1.900 gramms / \textbf{Optional:} TAR-GT trigger smoothly adjustable from approx. 900 to 1.900 gramms / \textbf{Optional:} TAR-GT trigger smoothly adjustable from approx. 900 to 1.900 gramms / \textbf{Optional:} TAR-GT trigger smoothly adjustable from approx. 900 to 1.900 gramms / \textbf{Optional:} TAR-GT trigger smoothly adjustable from approx. 900 to 1.900 gramms / \textbf{Optional:} TAR-GT trigger smoothly adjustable from approx. 900 to 1.900 gramms / \textbf{Optional:} TAR-GT trigger smoothly adjustable from approx. 900 to 1.900 gramms / \textbf{Optional:} TAR-GT trigger smoothly adjustable from approx. 900 to 1.900 gramms / \textbf{Optional:} TAR-GT trigger smoothly adjustable from approx. 900 to 1.900 gramms / \textbf{Optional:} TAR-GT trigger smoothly adjustable from approx. 900 to 1.900 gramms / \textbf{Optional:} TAR-GT trigger smoothly adjustable from approx. 900 to 1.9$ 

approx. 500 to 1500 gramms / gold plated trigger

WEIGHT

approx. 3 kg (at 56cm barrel length)

BARREL

Standard barrel (Ø 17 mm) / i-Sight system / Optional: Semi-weight barrel (Ø 19 mm) / Fluted barrel

		BARREL DIAMETER 17 mm								
	BARREL LENGTH >	510	mm	560	mm	610 mm				
	DETACHABLE SIGHTS >	with with		w	ith	with				
	MUZZLE THREAD M15x1 >			with		with				
	GEOMETRY >	round	fluted	round	fluted	round	fluted			
MINI	.222 Rem.			•	0					
	.223 Rem.			•	0					
STANDARD	.243 Win.			•	0					
	.270 Win.			•	0					
	7x64			•	0					
	.308 Win.	0	0	•	0					
	.30-06 Spring.	0	0	•	0					
	8x57IS	0	0	•	0					
	9,3x62	0	0	•	0					
MAGNUM	7 mm Rem.Mag.					•	0			
	.300 Win.Mag.					•	0			

• standard • optional

		BARREL DIAMETER 19 mm									
	BARREL LENGTH >	470 mm	510 mm with		560 mm		610 mm				
	DETACHABLE SIGHTS >	with									
	MUZZLE THREAD M15x1 >	with			with		with				
	GEOMETRY <b>▶</b>	round	round	fluted	round	fluted	round	fluted			
MINI	.222 Rem.				0	0					
	.223 Rem.				0	0					
STANDARD	.243 Win.	▲ 0			0	0					
	.270 Win.	▲ 0			0	0					
	7x64	▲ 0			0	0					
	.308 Win.	▲ 0	0	0	0	0					
	.30-06 Spring.	▲ 0	0	0	0	0					
	8x57IS	▲ 0	0	0	0	0					
	9,3x62	▲ 0	0	0	0	0					
MAGNUM	7 mm Rem.Mag.						0	0			
	.300 Win.Mag.						0	0			
	.338 Win.Mag.						•	0			

<sup>•</sup> standard • o optional • standard for the Helix Tracker and Helix Suppressor

Wooden stock / Monte Carlo cheek piece / straight comb / Rubber butt plate /
Optional: Custom stock making / Lady-DS-stock / adapter for bipod / Left handed stock / Ebony finish / High gloss finish / engraved pistol grip caps /
Woodclasses: from 2

ENGRAVINGS

none / black system casing

MOUNTS

integrated Picatinny profile as mounting basis /
Optional: Mounting basis Weaver rail / Kilic mounts

OPTIONS

5-round magazine (+1) / Muzzle break / Merkel Suppressor / Stock key / Harris bipod

Schützenstraße 26 D-98527 Suhl Tel: +49-3681-854-0 Fax: +49-3681-854-201 www.merkel-die-jagd.de