



HELIX Explorer

The Explorer is the HELIX with the synthetic stock - for use in tough everyday hunting conditions. The fibreglass-reinforced composite stock material is in a dark shade of anthracite and has a soft-grip surface. The soft, low-noise material ensures a firm grip even at low temperatures. At the same time, it also has a system-compatible design: the wooden and synthetic stocks are interchangeable. Whether standard barrel or semi-weight barrels - the fore-end of the Explorer always fits while allowing the barrel to float free.

TECHNICAL DATA



SYSTEM

Straight-pull bolt-action rifle with a 1:2 transmission / closed system housing / real take-down / Barrel change option / 6 locking slugs turning head lock / Manual cocking lever / 3-round magazine (+1)

CALIBRE

Mini calibre: .222 Rem. / .223 Rem. /
Standard calibre: .243 Win. / .270 Win. / 6,5x55SE / 7x64 / .308 Win. / .30-06 Spring. / 8x57IS / 9,3x62 /
Magnum calibre: .300 Win. Mag. / .338 Win. Mag. / 7mm Rem. Mag.

TRIGGER

Direct trigger adjustable from approx. 900 to 1.900 gramms / **Optional:** TAR-GT trigger smoothly adjustable from approx. 500 to 1500 gramms / gold plated trigger

WEIGHT

approx. 3 kg (at 56cm barrel length)

LENGTH Overall length 107 cm (at 56 cm barrel length)

BARREL Standard barrel (Ø 17 mm) / i-Sight system /
Optional: Semi-weight barrel (Ø 19 mm) / Fluted barrel

		BARREL DIAMETER 17 mm					
BARREL LENGTH ▶		510 mm		560 mm		610 mm	
DETACHABLE SIGHTS ▶		with		with		with	
MUZZLE THREAD M15x1 ▶		with		with		with	
GEOMETRY ▶		round	fluted	round	fluted	round	fluted
MINI	.222 Rem.			●	○		
	.223 Rem.			●	○		
STANDARD	.243 Win.			●	○		
	.270 Win.			●	○		
	7x64			●	○		
	.308 Win.	○	○	●	○		
	.30-06 Spring.	○	○	●	○		
	8x57IS	○	○	●	○		
	9,3x62	○	○	●	○		
MAGNUM	7 mm Rem.Mag.					●	○
	.300 Win.Mag.					●	○

● standard ○ optional

		BARREL DIAMETER 19 mm						
BARREL LENGTH ▶		470 mm	510 mm		560 mm		610 mm	
DETACHABLE SIGHTS ▶		with	with		with		with	
MUZZLE THREAD M15x1 ▶		with	with		with		with	
GEOMETRY ▶		round	round	fluted	round	fluted	round	fluted
MINI	.222 Rem.				○	○		
	.223 Rem.				○	○		
STANDARD	.243 Win.	▲ ○			○	○		
	.270 Win.	▲ ○			○	○		
	7x64	▲ ○			○	○		
	.308 Win.	▲ ○	○	○	○	○		
	.30-06 Spring.	▲ ○	○	○	○	○		
	8x57IS	▲ ○	○	○	○	○		
	9,3x62	▲ ○	○	○	○	○		
MAGNUM	7 mm Rem.Mag.						○	○
	.300 Win.Mag.						○	○
	.338 Win.Mag.						●	○

● standard ○ optional ▲ standard for the Helix Tracker and Helix Suppressor

STOCK

Synthetic stock / straight comb / Rubber butt plate /

Optional: adapter for bipod /**Synthetic-colours:** anthracite / black (soft-touch coating) / green (soft-touch coating)

ENGRAVINGS

none / black system casing

MOUNTS

integrated Picatinny profile as mounting basis /

Optional: Mounting basis Weaver rail / Kiliic mounts

OPTIONS

5-round magazine (+1) / Muzzle break / Merkel Suppressor / Stock key / Harris bipod