



HELIX Tracker

The TRACKER is the ideal professional model for the driven hunt, as well as for tracking wounded game: with its particularly short semi-weight barrel, 5-rounds magazine, driven hunt sights and a bolt handle with non-slip knob for rapid bolt action. The magazine slot incorporates a security mechanism to prevent it accidentally coming loose in the thicket. The synthetic stock has several special sling swivels attachments in the middle of the buttstock and on the barrel - this allows the TRACKER to be carried comfortably on the back. The TRACKER is available in anthracite or camo orange color.

TECHNICAL DATA

SYSTEM	Straight-pull bolt-action rifle with a 1:2 transmission / closed system housing / real take-down / Barrel change option / 6 locking slugs turning head lock / Manual cocking lever / 5-round magazine (+1) / Bolt handle with rubber ball
CALIBRE	Standard calibre: .308 Win. / .30-06 Spring. / 8x57IS / 9,3x62
TRIGGER	Direct trigger adjustable from approx. 900 to 1.900 gramms
WEIGHT	approx. 2,9 kg (at 47cm barrel length)

BARREL

Semi-weight barrel (Ø 19 mm) / i-Sight system / with sling swivel at the muzzle

		BARREL DIAMETER 17 mm					
	BARREL LENGTH >	510	mm	560 mm		610 mm	
	DETACHABLE SIGHTS >	wi	ith	with		with	
	MUZZLE THREAD M15x1 >	wi	ith	with		with	
	GEOMETRY >	round	fluted	round	fluted	round	fluted
MINI	.222 Rem.			•	o		
MINI	.223 Rem.			•	0		
	.243 Win.			•	0		
	.270 Win.			•	0		
	7x64			•	0		
STANDARD	.308 Win.	0	0	•	0		
	.30-06 Spring.	0	0	•	0		
	8x571S	0	0	•	0		
	9,3x62	0	0	•	0		
MAGNUM	7 mm Rem.Mag.					•	0
MAGNUM	.300 Win.Mag.					•	0

• standard • o optional

			BARREL DIAMETER 19 mm					
	BARREL LENGTH >	470 mm	510	mm	560	mm	610	mm
	DETACHABLE SIGHTS >	with	w	ith	wi	th	wi	ith
	MUZZLE THREAD M15x1 >	with	with		with		with	
	GEOMETRY >	round	round	fluted	round	fluted	round	fluted
MINI	.222 Rem.				0	0		
MINI	.223 Rem.				0	0		
	.243 Win.	▲ 0			0	0		
	.270 Win.	▲ 0			0	0		
	7x64	▲ 0			0	0		
STANDARD	.308 Win.	▲ 0	0	0	0	0		
	.30-06 Spring.	▲ 0	0	0	0	0		
	8x57IS	▲ 0	0	0	0	0		
	9,3x62	▲ 0	0	0	0	0		
	7 mm Rem.Mag.						0	0
MAGNUM	.300 Win.Mag.						0	0
	.338 Win.Mag.						•	0

• standard • o optional • standard for the Helix Tracker and Helix Suppressor

ENGRAVINGS none / black system casing MOUNTS integrated Picatinny profile as mounting basis / Optional: Mounting basis Weaver rail / Kilic mounts OPTIONS 3-round magazine (+1) / Stock key / Harris bipod	STOCK
Optional: Mounting basis Weaver rail / Kilic mounts	ENGRAVINGS
OPTIONS 3-round magazine (+1) / Stock key / Harris bipod	MOUNTS
	OPTIONS

Merkel Jagd- und Sportwaffen GmbH Schützenstraße 26 D-98527 Suhl Tel: +49-3681-854-0 Fax: +49-3681-854-201 www.merkel-die-jagd.de